

Lighting Datasheet

Spring 
Copenhagen





Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Ballet, pendant

Art. no.:	5015
Materials:	Polypropylene
Other materials:	Oak, metal, acrylic, textile, silicone
Packsize:	2
Design:	Poul Christiansen
RRP:	DKK; 1899 .- EUR; 249 .- NOK; 2695 .- SEK; 2695 .-

DATA

Dimensions:	H: 28 / W: 45 / L: 45
Cord material:	Textile, silicone (white)
Cord length:	400 cm
Light source:	E27 max. 8w
Canopy:	Yes (white)
Switch:	No, but dimmer switch can be mounted by
Certifications:	CE
Classifications:	CE
Dimmable:	-
Lumen:	788
Lifespan:	30000 hrs.
Kelvin:	2700

**Maintenance instruction:**

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Ballet, table

Art. no.:	5014
Materials:	Polypropylene
Other materials:	Oak, metal, acrylic, textile, silicone
Packsize:	2
Design:	Poul Christiansen
RRP:	DKK; 1999 .- EUR; 299 .- NOK; 2995 .- SEK; 2995 .-

DATA

Dimensions:	H: 47 / W: 30 / L: 30
Cord material:	Textile, silicone (black)
Cord length:	180 cm
Light source:	E27 max. 8w
Canopy:	N/A
Switch:	Dimmer switch
Certifications:	CE
Classifications:	IP20
Dimmable:	Yes
Lumen:	788
Lifespan:	30000 hrs.
Kelvin:	2700



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Eclipse

Art. no.:	5026, 5031, 5032, 5033
Materials:	Aluminium
Other materials:	Plastic
Packsize:	4
Design:	mencke&vagnby
RRP:	DKK; 999 .- EUR; 145 .- NOK; 1495 .- SEK; 1495 .-

DATA

Dimensions:	H: 24 / W: 16,5 / L: 16,5
Cord material:	Textile (black)
Cord length:	100 cm
Light source:	1 W LED
Canopy:	N/A
Switch:	On/Off switch
Certifications:	CE
Classifications:	IP20
Dimmable:	Yes by touch (3 steps)
Lumen:	80
Lifespan:	50000 hrs.
Kelvin:	2700
Charging cable:	Micro USB with magnetic connector
Battery time:	Min. 15 hrs.
Charging time:	8 hrs.



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Ember

Art. no.:	5025, 5027, 5028, 5029
Materials:	Opal glass
Other materials:	Aluminium
Packsize:	4
Design:	mencke&vagnby
RRP:	DKK; 999 .- EUR; 145 .- NOK; 1495 .- SEK; 1495 .-

DATA

Dimensions:	H: 23 / W: 13,5 / L: 13,5
Cord material:	Textile (black)
Cord length:	150 cm
Light source:	1 W LED
Canopy:	N/A
Switch:	Touch dimmer switch
Certifications:	CE
Classifications:	IP20
Dimmable:	Yes (3 steps)
Lumen:	70
Lifespan:	50000 hrs.
Kelvin:	2700
Charging cable:	Micro USB with magnetic connector
Battery time:	Min. 15 hrs.
Charging time:	8 hrs.



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Formel Floor lamp

Art. no.:	5020-BLK, 5020-WHI	
Materials:	Aluminium	
Other materials:	Stainless steel, textile	
Packsize:	1	
Design:	Hans Due	
RRP:	DKK; 3999 .-	EUR; 599 .-
	NOK; 5795 .-	SEK; 5795 .-

DATA

Dimensions:	H: 105-151 / W: 26 / L: 48-60	
Cord material:	Textile (black) (white)	
Cord length:	370 cm	
Light source:	E27 LED max. 12W (not included)	
Canopy:	N/A	
Switch:	On/Off switch	
Certifications:	CE, UL listed	
Classifications:	IP20	
Dimmable:	-	
Lumen:	-	
Lifespan:	-	
Kelvin:	-	

} Depends on bulb



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Formel

Pendant Ø26

Art. no.:	5017-BLK, 5017-WHI, 5017-FGR	
Materials:	Aluminium	
Other materials:	Textile	
Packsize:	1	
Design:	Hans Due	
RRP:	DKK; 999 .-	EUR; 145 .-
	NOK; 1495 .-	SEK; 1495 .-

DATA

Dimensions:	H: 20 / W: 26 / L: 26	
Cord material:	Textile (black) (white) (forest green)	
Cord length:	400 cm	
Light source:	E27 LED max. 12W (not included)	
Canopy:	Yes (black) (white) (forest green)	
Switch:	N/A	
Certifications:	CE, UL listed	
Classifications:	IP20	
Dimmable:	-	
Lumen:	-	
Lifespan:	-	
Kelvin:	-	

} Depends on bulb





Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Formel Pendant Ø40

Art. no.:	5017-BLK, 5017-WHI, 5017-FGR	
Materials:	Aluminium	
Other materials:	Textile	
Packsize:	1	
Design:	Hans Due	
RRP:	DKK; 1499 .-	EUR; 239 .-
	NOK; 2395 .-	SEK; 2395 .-

DATA

Dimensions:	H: 23 / W: 40 / L: 40
Cord material:	Textile (black) (white) (forest green)
Cord length:	400 cm
Light source:	E27 LED max. 12W (not included)
Canopy:	Yes (black) (white) (forest green)
Switch:	N/A
Certifications:	CE, UL listed
Classifications:	IP20
Dimmable:	-
Lumen:	-
Lifespan:	-
Kelvin:	-

} Depends on bulb



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Formel

Pendant Ø50

Art. no.:	5019-BLK, 5019-WHI, 5019-FGR	
Materials:	Aluminium	
Other materials:	Textile	
Packsize:	1	
Design:	Hans Due	
RRP:	DKK; 1999 .-	EUR; 299 .-
	NOK; 2995 .-	SEK; 2995 .-

DATA

Dimensions:	H: 27 / W: 50 / L: 50
Cord material:	Textile (black) (white) (forest green)
Cord length:	400 cm
Light source:	E27 LED max. 12W (not included)
Canopy:	Yes (black) (white) (forest green)
Switch:	N/A
Certifications:	CE, UL listed
Classifications:	IP20
Dimmable:	-
Lumen:	-
Lifespan:	-
Kelvin:	-

} Depends on bulb



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Formel Table lamp

Art. no.:	5021-BLK, 5021-WHI	
Materials:	Aluminium	
Other materials:	Stainless steel, textile	
Packsize:	1	
Design:	Hans Due	
RRP:	DKK; 1999 .-	EUR; 299 .-
	NOK; 2995 .-	SEK; 2995 .-

DATA

Dimensions:	H: 74 / W: 26 / L: 37-48	
Cord material:	Textile (black) (white)	
Cord length:	310 cm	
Light source:	E27 LED max. 12W (not included)	
Canopy:	N/A	
Switch:	On/Off switch	
Certifications:	CE, UL listed	
Classifications:	IP20	
Dimmable:	-	
Lumen:	-	
Lifespan:	-	
Kelvin:	-	

} Depends on bulb



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Formel Wall lamp

Art. no.:	5022-BLK, 5022-WHI	
Materials:	Aluminium	
Other materials:	Stainless steel, textile	
Packsize:	1	
Design:	Hans Due	
RRP:	DKK; 1999 .-	EUR; 299 .-
	NOK; 2995 .-	SEK; 2995 .-

DATA

Dimensions:	H: 74 / W: 26 / L: 37-48
Cord material:	Textile (black) (white)
Cord length:	330 cm
Light source:	E27 LED max. 12W (not included)
Canopy:	N/A
Switch:	On/Off switch
Certifications:	CE, UL listed
Classifications:	IP20
Dimmable:	-
Lumen:	-
Lifespan:	-
Kelvin:	-



Maintenance instruction:

Always turn off the light before cleaning. Wipe the surface of the shade with a dry cloth. Do not use any abrasive cleaning tools such as stiff brushes or stiff cloths. Never use strong cleaning agents such as white spirit, turpentine, household glass cleaner, or cellulose thinners.

Phister

Art. no.:	5024-BLK. 5024-DGR, 5024-DRE. 5024-SAN, 5024-SBL	
Materials:	Recycled ABS plastic	
Other materials:	Stainless steel	
Finish:	Matt rubber oil	
Packsize:	6	
Design:	Hans Due	
RRP:	DKK; 699 .-	EUR; 99 .-
	NOK; 995 .-	SEK; 995 .-

DATA

Dimensions:	H: 13 / W: 9 / L: 24,5
Cord material:	Textile (black)
Cord length:	150 cm
Light source:	3 W LED
Canopy:	N/A
Switch:	Touch dimmer switch
Certifications:	CE, CB, Class III
Classifications:	IP20
Dimmable:	Yes (3 steps)
Lumen:	160
Lifespan:	25000 hrs.
Kelvin:	3000
Charging cable:	Micro USB with magnetic connector
Battery time:	Min. 15 hrs.
Charging time:	8 hrs.

**Maintenance instruction:**

Clean with a soft dry cloth only. Always switch off the electricity before cleaning. For better finish and maintenance, use beeswax occasionally on all our wooden products.

Snowball Ø11

Art. no.:	5005
Materials:	Mouth blown glass
Other materials:	Beech, plastic
Packsize:	4
Design:	mencke&vagnby
RRP:	DKK; 499 .- EUR; 79 .- NOK; 795 .- SEK; 795 .-

DATA

Dimensions:	H: 11 / W: 11 / L: 11
Cord material:	PE (white)
Cord length:	100 cm
Light source:	1 W LED
Canopy:	N/A
Switch:	On/Off switch
Certifications:	CE
Classifications:	IP20
Dimmable:	Yes (3 steps)
Lumen:	-
Lifespan:	50000 hrs.
Kelvin:	2700
Charging cable:	Micro USB
Battery time:	10 hrs.
Charging time:	6 hrs.

**Maintenance instruction:**

Clean with a soft dry cloth only. Always switch off the electricity before cleaning. For better finish and maintenance, use beeswax occasionally on all our wooden products.

Snowball Ø15

Art. no.:	5016
Materials:	Mouth blown glass
Other materials:	Beech, plastic
Packsize:	4
Design:	mencke&vagnby
RRP:	DKK; 899 .- EUR; 135 .- NOK; 1345 .- SEK; 1345 .-

DATA

Dimensions:	H: 13 / W: 15 / L: 15
Cord material:	PE (white)
Cord length:	100 cm
Light source:	1 W LED
Canopy:	N/A
Switch:	On/Off switch
Certifications:	CE
Classifications:	IP20
Dimmable:	Yes (3 steps)
Lumen:	-
Lifespan:	50000 hrs.
Kelvin:	2700
Charging cable:	Micro USB
Battery time:	10 hrs.
Charging time:	6 hrs.